

Table 2-3
Sampling and Analysis Matrix for Fish Tissue - Waimanalo Stream

Bellows OU1 EE/CA, Bellows AFS, Hawaii

| Location | Sample ID | QA/QC Type | Depth | | Sample Unit | Date | Analytical Methods ¹ | | |
|---------------------------|-------------|------------|-------|-----|-------------|------------|---------------------------------|--------------------|-------------------|
| | | | From | To | | | Lipids (gravimetric method) | Metals (7000/6010) | Pesticides (8081) |
| Whole-Body Samples | | | | | | | | | |
| WS-001 | WS-TS001W | N | 0 | 4 | FT | 11/19/1998 | X | X | X |
| WS-002 | WS-TS002W | N | 0 | 4 | FT | 11/18/1998 | X | X | X |
| WS-003 | WS-TS003W | N | 0 | 4 | FT | 11/18/1998 | X | X | X |
| WS-004 | WS-TS004W | N | 0 | 5 | FT | 11/16/1998 | X | X | X |
| WS-005 | WS-TS005W | N | 0 | 3 | FT | 11/16/1998 | X | X | X |
| WSU-001 | WSU-TS001V | N | 0 | 1.5 | FT | 11/19/1998 | X | X | X |
| WSU-002 | WSU-TS002V | N | 0 | 1 | FT | 11/19/1998 | X | X | X |
| Fillet Samples | | | | | | | | | |
| WS-001 | WS-TS001F | N | 0 | 4 | FT | 11/17/1998 | X | X | X |
| WS-002 | WS-TS002F | N | 0 | 4 | FT | 11/17/1998 | X | X | X |
| WS-003 | WS-TS003F | N | 0 | 4 | FT | 11/17/1998 | X | X | X |
| WS-004 | WS-TS004F | N | 0 | 5 | FT | 11/16/1998 | X | X | X |
| WS-005 | WS-TS005F | N | 0 | 3 | FT | 11/16/1998 | X | X | X |
| WSU-001 | WSU-TS001FN | N | 0 | 1.5 | FT | 11/19/1998 | X | X | X |
| WSU-002 | WSU-TS002FN | N | 0 | 1 | FT | 11/19/1998 | X | X | X |

Notes:

¹Analytical methods per National Oceanic and Atmospheric Administration (NOAA) Technical Memorandum NOS ORCA 130, March 1 *Sampling and Analytical Methods of the National Status and Trends Program, Mussel Watch Project: 1993-1996 Update.*

QA/QC Types

N = normal environmental sample

Abbreviations

FT = feet (below water surface)